


# WORKPLACE STORAGE EQUIPMENT



verso




bott verso range


# verso FEATURES



Central locking  
mechanism



Full extension slide



Single extension




Delivered completely  
assembled




verso



Delivery time 15  
working days



Total load capacity



Recessed handle with  
3-point locking



3 years warranty

As illustrated below, bott verso drawer fronts and doors are available in 4 colour options, all supplied with light grey housing.

## Housing:

RAL 7035 – light grey

## Top, bottom and fronts:

RAL 7016 – anthracite grey

RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red



Here is verso, our revamped workshop equipment in bott premium quality and the proven design. The special thing about it is not only its outstanding quality, but also the attractive price. verso is robust and solidly made. The verso product range offers a total of 1,700 products in four different colours. Its modular design gives you lots of flexible configuration options.

# CUSTOMER TESTIMONIALS

The verso range offers simple functionality, high-quality manufacture, and excellent value for money. From Motorsports and Education, through to Manufacturing and Engineering, verso is suitable for use in a wide range of industries and workspaces. Take a look at some of our customer testimonials...



## **Exeter College Technology Centre (UK)**

"Due to their superior build quality, choosing bott as our workplace storage partner was the best option by far. The bott verso cabinets have been in use for over 8 years and have stood the test of time, even with constant student use!"



### Linde Material Handling (UK)

"The combination of employing bott verso workshop equipment and implementing 5S & LEAN efficiency processes at Linde MH, has resulted in the average preparation time per truck reducing by 37% in 18 months. The organisation of tools, parts and other equipment has contributed towards trimming down intra-company processes."



### Caterham Gatwick (UK)

"We were after a workspace that was cohesive with our existing workshop. The versatility and customisable aspect of the bott verso range made it an obvious choice! We are pleased with how professional our building bays now look as well as how the team at bott helped us with anything we needed."

# DRAWER CABINETS



## SCAN ME

See the 3D model in  
your own workshop

*"Sturdy and  
safe – the right  
drawer for every  
tool."*



Total load capacity



Drawer load capacity



Full extension slide



Single extension



Central locking  
mechanism




Delivered completely  
assembled



Delivery time 15  
working days

## Drawer cabinets Width 525 mm



### Housing

- Reinforced and welded for demanding requirements and a long service life
- Load capacity: 1 tonne
- Light grey powder-coated (RAL 7035)
- With central locking mechanism
- Optionally available with single extension
- Various cabinet tops are available as accessories

### Drawers

- Drawer front with ergonomic handle
- Roller bearing slides with full extension slide and 40 mm overextension
- Load capacity up to 75 kg
- Comprehensive divider material available

### Hinged doors

- 180° opening angle
- Stable lock
- Large useful space with additional shelf

## Height 800 mm



|                           |                      |                      |                      |
|---------------------------|----------------------|----------------------|----------------------|
| Depth [mm]                | 550                  | 550                  | 550                  |
| Version                   | With central locking | With central locking | With central locking |
| Quantity of drawers/doors | 2, 1                 | 5                    | 6                    |
| Front height [mm]         | 2x100                | 2x100, 3x175         | 1x100, 5x125         |
| <b>Order ref.</b>         | <b>16925016.**</b>   | <b>16925012.**</b>   | <b>16925014.**</b>   |

### Housing:

RAL 7035 – light grey

### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red

# Drawer cabinets Width 525 mm

## Height 1000 mm



|                           |                      |                      |                      |
|---------------------------|----------------------|----------------------|----------------------|
| Depth [mm]                | 550                  | 550                  | 550                  |
| Version                   | With central locking | With central locking | With central locking |
| Quantity of drawers/doors | 3, 1                 | 7                    | 9                    |
| Front height [mm]         | 1x100, 1x125, 1x175  | 2x100, 3x125, 2x175  | 8x100, 1x125         |
| Order ref.                | 16925061.**          | 16925049.**          | 16925057.**          |



# Drawer cabinets Width 800 mm

## Height 800 mm



|                           |                      |                      |
|---------------------------|----------------------|----------------------|
| Depth [mm]                | 550                  | 550                  |
| Version                   | With central locking | With central locking |
| Quantity of drawers/doors | 5                    | 6                    |
| Front height [mm]         | 2x100, 3x175         | 1x100, 5x125         |
| <b>Order ref.</b>         | <b>16925112.**</b>   | <b>16925114.**</b>   |

## Height 900 mm



|                           |                      |                      |
|---------------------------|----------------------|----------------------|
| Depth [mm]                | 550                  | 550                  |
| Version                   | With central locking | With central locking |
| Quantity of drawers/doors | 5                    | 7                    |
| Front height [mm]         | 1x125, 4x175         | 4x100, 2x125, 1x175  |
| <b>Order ref.</b>         | <b>16925117.**</b>   | <b>16925129.**</b>   |

## Height 1000 mm



|                           |                      |                      |
|---------------------------|----------------------|----------------------|
| Depth [mm]                | 550                  | 550                  |
| Version                   | With central locking | With central locking |
| Quantity of drawers/doors | 7                    | 9                    |
| Front height [mm]         | 2x100, 3x125, 2x175  | 8x100, 1x125         |
| <b>Order ref.</b>         | <b>16925149.**</b>   | <b>16925157.**</b>   |

### Housing:

RAL 7035 – light grey

### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red

## Drawer cabinets Width 1050 mm

### Height 800 mm



|                           |                      |                      |
|---------------------------|----------------------|----------------------|
| Depth [mm]                | 550                  | 550                  |
| Version                   | With central locking | With central locking |
| Quantity of drawers/doors | 5                    | 6                    |
| Front height [mm]         | 2x100, 3x175         | 1x100, 5x125         |
| <b>Order ref.</b>         | <b>16925212.**</b>   | <b>16925214.**</b>   |

### Height 900 mm



|                           |                      |                      |
|---------------------------|----------------------|----------------------|
| Depth [mm]                | 550                  | 550                  |
| Version                   | With central locking | With central locking |
| Quantity of drawers/doors | 5                    | 7                    |
| Front height [mm]         | 1x125, 4x175         | 4x100, 2x125, 1x175  |
| <b>Order ref.</b>         | <b>16925217.**</b>   | <b>16925229.**</b>   |

### Height 1000 mm



|                           |                      |                      |
|---------------------------|----------------------|----------------------|
| Depth [mm]                | 550                  | 550                  |
| Version                   | With central locking | With central locking |
| Quantity of drawers/doors | 7                    | 9                    |
| Front height [mm]         | 2x100, 3x125, 2x175  | 8x100, 1x125         |
| <b>Order ref.</b>         | <b>16925249.**</b>   | <b>16925257.**</b>   |

## Accessories for drawer cabinets


### Multiplex top



- Robust 30 mm multiplex worktop
- Provides a practical working surface

|                       |                    |                    |                    |
|-----------------------|--------------------|--------------------|--------------------|
| For system width [mm] | 525                | 800                | 1050               |
| For system depth [mm] | 550                | 550                | 550                |
| <b>Order ref.</b>     | <b>41201147.08</b> | <b>41201149.08</b> | <b>41201150.08</b> |

### Top tray kit with anti-slip mat



- 3-sided raised lip with anti-slip mat
- Prevents small and round objects falling off

|                       |                    |                    |                    |
|-----------------------|--------------------|--------------------|--------------------|
| For system width [mm] | 525                | 800                | 1050               |
| For system depth [mm] | 550                | 550                | 550                |
| <b>Order ref.</b>     | <b>16926930.16</b> | <b>16926931.16</b> | <b>16926932.16</b> |

#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red

# MOBILE DRAWER CABINETS



SCAN ME

See the 3D model in  
your own workshop

"Transporting  
materials  
throughout  
the working  
environment."



Total load capacity



Drawer load capacity



Full extension slide



Single extension



Central locking  
mechanism



Delivered completely  
assembled




Delivery time 15  
working days

## Mobile drawer cabinets



### Housing

- Reinforced and welded for demanding requirements and a long service life
- Light grey powder-coated (RAL 7035)
- With central locking mechanism and single extension for drawers
- Hinged doors with 180° opening angle, covering a large useful space with an additional shelf



### Drawers

- Drawer front with ergonomic handle
- Roller bearing slides with full extension slide and 40 mm overextension
- Load capacity up to 50 kg
- Comprehensive divider material available



### Mobility

- With 2 swivel and 2 fixed castors
- Ergonomic pull handles
- With a choice of 3-sided anti-roll-off lip and anti-slip mat or multiplex worktop
- Total load capacity including cabinet weight: 300 kg

### Width 800 mm



|                          |                    |                    |
|--------------------------|--------------------|--------------------|
| Depth [mm]               | 550                | 600                |
| Height [mm]              | 965                | 980                |
| Worktop/housing top type | Top Tray and Mat   | Beech Multiplex    |
| Front height [mm]        | 2x100, 3x175       | 2x100, 3x175       |
| <b>Order ref.</b>        | <b>16927002.**</b> | <b>16927001.**</b> |

#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red

## Mobile drawer cabinets

### Width 1050 mm



|                          |                    |                    |                     |                     |
|--------------------------|--------------------|--------------------|---------------------|---------------------|
| Depth [mm]               | 550                | 600                | 550                 | 600                 |
| Height [mm]              | 965                | 980                | 965                 | 980                 |
| Worktop/housing top type | Top Tray and Mat   | Beech Multiplex    | Top Tray and Mat    | Beech Multiplex     |
| Front height [mm]        | 2x100, 3x175       | 2x100, 3x175       | 3x100, 2x125, 1x175 | 3x100, 2x125, 1x175 |
| Order ref.               | <b>16927052.**</b> | <b>16927051.**</b> | <b>16927055.**</b>  | <b>16927054.**</b>  |

### Width 1050 mm



|                          |                    |                    |                     |                     |
|--------------------------|--------------------|--------------------|---------------------|---------------------|
| Depth [mm]               | 550                | 600                | 550                 | 600                 |
| Height [mm]              | 965                | 980                | 965                 | 980                 |
| Worktop/housing top type | Top Tray and Mat   | Beech Multiplex    | Top Tray and Mat    | Beech Multiplex     |
| Front height [mm]        | 2x100, 3x175       | 2x100, 3x175       | 3x100, 2x125, 1x175 | 3x100, 2x125, 1x175 |
| Order ref.               | <b>16927122.**</b> | <b>16927121.**</b> | <b>16927125.**</b>  | <b>16927124.**</b>  |

### Width 1050 mm



|                          |                    |                    |                    |                    |
|--------------------------|--------------------|--------------------|--------------------|--------------------|
| Depth [mm]               | 550                | 600                | 550                | 600                |
| Height [mm]              | 965                | 980                | 965                | 980                |
| Worktop/housing top type | Top Tray and Mat   | Beech Multiplex    | Top Tray and Mat   | Beech Multiplex    |
| Front height [mm]        | 6x100, 1x125       | 6x100, 1x125       | 4x100, 6x175       | 4x100, 6x175       |
| Order ref.               | <b>16927128.**</b> | <b>16927127.**</b> | <b>16927102.**</b> | <b>16927101.**</b> |

## Maintenance trolleys

### Width 1300 mm



|                          |                    |                    |
|--------------------------|--------------------|--------------------|
| Depth [mm]               | 550                | 600                |
| Height [mm]              | 965                | 980                |
| Worktop/housing top type | Top Tray and Mat   | Beech Multiplex    |
| Front height [mm]        | 2x100, 3x175       | 2x100, 3x175       |
| <b>Order ref.</b>        | <b>16927152.**</b> | <b>16927151.**</b> |

### Width 1300 mm



|                          |                     |                     |
|--------------------------|---------------------|---------------------|
| Depth [mm]               | 550                 | 600                 |
| Height [mm]              | 965                 | 980                 |
| Worktop/housing top type | Top Tray and Mat    | Beech Multiplex     |
| Front height [mm]        | 3x100, 2x125, 1x175 | 3x100, 2x125, 1x175 |
| <b>Order ref.</b>        | <b>16927155.**</b>  | <b>16927154.**</b>  |

### Width 1300 mm



|                          |                    |                    |
|--------------------------|--------------------|--------------------|
| Depth [mm]               | 550                | 600                |
| Height [mm]              | 965                | 980                |
| Worktop/housing top type | Top Tray and Mat   | Beech Multiplex    |
| Front height [mm]        | 6x100, 1x125       | 6x100, 1x125       |
| <b>Order ref.</b>        | <b>16927158.**</b> | <b>16927157.**</b> |

#### Housing:

RAL 7035 – light grey


#### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey   RAL 5010 – gentian blue   RAL 7035 – light grey   RAL 3004 – crimson red

## Accessories for mobile drawer cabinets and maintenance trolleys

### Rear panel



- To create ergonomic work stations
- Can be screwed directly to the wooden worktop of drawer cabinets (W 1050mm) or installation trolleys (W 1300mm)
- Suitable for all perfo hooks and small parts boxes
- Sturdy steel construction, light grey powder coated (RAL 7035)



|                           |                    |                    |                                                             |
|---------------------------|--------------------|--------------------|-------------------------------------------------------------|
| Dimensions W x D x H [mm] | 1050 x 215 x 400   | 1050 x 215 x 400   | 1050 x 215 x 400                                            |
| Version                   | With perfo panel   | With louvred panel | With louvred panel, with 6 bottBoxes M1 and 6x bottBoxes M2 |
| <b>Order ref.</b>         | <b>41022029.**</b> | <b>41022030.**</b> | <b>41022031.**</b>                                          |



|                           |                    |                    |                                                             |
|---------------------------|--------------------|--------------------|-------------------------------------------------------------|
| Dimensions W x D x H [mm] | 1300 x 215 x 400   | 1300 x 215 x 400   | 1300 x 215 x 400                                            |
| Version                   | With perfo panel   | With louvred panel | With louvred panel, with 8x bottBoxes M1 and 8 bottBoxes M2 |
| <b>Order ref.</b>         | <b>41022032.**</b> | <b>41022033.**</b> | <b>41022034.**</b>                                          |



**Housing:**

RAL 7035 – light grey

**Top, bottom and fronts:**

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red

# COMPUTER WORKSTATIONS



SCAN ME

See the 3D model in  
your own workshop



Total load capacity



Drawer load capacity



Shelf load capacity



Full extension slide



Handle recess with  
3-point locking



Delivered completely  
assembled



Delivery time  
15 working days

## Computer unit Width 650 mm



### Housing and hinged door

#### Housing

- Reinforced and welded for demanding requirements and a long service life
- Light grey powder-coated (RAL 7035)
- With ventilation holes and cable feedthroughs

#### Hinged door

- Opening angle 180°
- Large useful space with additional shelf
- Stable lock with 3-point locking

### Monitor housing and keyboard drawer

#### Monitor housing

- Suitable for flat screen monitors up to 23 inches
- With ventilation holes and cable routing apertures
- Lockable

#### Keyboard drawer

- For ergonomic work
- Roller bearing slides with full extension
- Lockable

## Depth 550 mm



|                           |                             |                                              |                             |                                              |
|---------------------------|-----------------------------|----------------------------------------------|-----------------------------|----------------------------------------------|
| Dimensions W x D x H [mm] | 650 x 550 x 1000            | 650 x 550 x 1650                             | 1050 x 550 x 1130           | 1050 x 550 x 1650                            |
| Version                   | With shelf and sliding tray | With screen cupboard, shelf and sliding tray | With shelf and sliding tray | With screen cupboard, shelf and sliding tray |
| Order ref.                | <b>16928000.**</b>          | <b>16928001.**</b>                           | <b>16928021.**</b>          | <b>16928022.**</b>                           |

## Depth 550 mm



|                           |                                              |
|---------------------------|----------------------------------------------|
| Dimensions W x D x H [mm] | 650 x 550 x 150                              |
| Version                   | Mobile kit for 650mm wide computer cupboards |
| Order ref.                | <b>16928052.**</b>                           |

#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

.19 RAL 7016 – anthracite grey  
 .11 RAL 5010 – gentian blue  
 .16 RAL 7035 – light grey  
 .24 RAL 3004 – crimson red

## Drawer dividers Depth 550 mm



### Dividers and cross dividers


- For the simple, fast and individual division of the drawers
- Zinc-plated sheet steel
- Optional labelling with labelling kit
- Low noise thanks to plastic divider clips

### Divider/cross divider kits Width 525 mm




|                                   |                    |                    |
|-----------------------------------|--------------------|--------------------|
| For system depth [mm]             | 550                |                    |
| Quantity of dividers              | 2                  |                    |
| Quantity of cross dividers        | 6                  |                    |
| Front height of drawer [mm]       | 100/125            | 175                |
| Height of the cross dividers [mm] | 77                 | 127                |
| <b>Order ref.</b>                 | <b>16926804.51</b> | <b>16926805.51</b> |

### Divider/cross divider kits Width 800 mm



|                                   |                    |                    |
|-----------------------------------|--------------------|--------------------|
| For system depth [mm]             | 550                |                    |
| Quantity of dividers              | 2                  |                    |
| Quantity of cross dividers        | 6                  |                    |
| Front height of drawer [mm]       | 100/125            | 175                |
| Height of the cross dividers [mm] | 77                 | 127                |
| <b>Order ref.</b>                 | <b>16926822.51</b> | <b>16926823.51</b> |

### Divider/cross divider kits Width 1050 mm



|                                   |                    |                    |
|-----------------------------------|--------------------|--------------------|
| For system depth [mm]             | 550                |                    |
| Quantity of dividers              | 4                  |                    |
| Quantity of cross dividers        | 8                  |                    |
| Front height of drawer [mm]       | 100/125            | 175                |
| Height of the cross dividers [mm] | 77                 | 127                |
| <b>Order ref.</b>                 | <b>16926842.51</b> | <b>16926843.51</b> |

## Drawer dividers Depth 550 mm



### Small parts storage boxes

- For the simple, fast and individual division of the drawers
- Material: impact-resistant polystyrene(PS)
- Rounded corners for easy removal of small parts
- Optional labelling with label holders

### Small parts storage box kits Width 525/1050 mm



|                                                      |                 |                 |                 |
|------------------------------------------------------|-----------------|-----------------|-----------------|
| For system depth [mm]                                | 550             | 550             | 550             |
| Front height of drawer [mm]                          | 100             | 100             | 100             |
| Box height [mm]                                      | 68              | 68              | 68              |
| Quantity of small parts storage boxes 50 x 50 [mm]   | 2               |                 | 2               |
| Quantity of small parts storage boxes 50 x 75 [mm]   | 6               | 9               | 13              |
| Quantity of small parts storage boxes 75 x 75 [mm]   |                 | 5               | 1               |
| Quantity of small parts storage boxes 75 x 150 [mm]  | 2               | 4               | 7               |
| Quantity of small parts storage boxes 100 x 150 [mm] | 2               |                 | 2               |
| Quantity of small parts storage boxes 125 x 150 [mm] |                 |                 |                 |
| Quantity of small parts storage boxes 150 x 150 [mm] | 2               | 4               | 6               |
| Quantity of small parts storage boxes 300 x 150 [mm] | 1               | 2               | 2               |
| <b>Order ref.</b>                                    | <b>43020789</b> | <b>43020790</b> | <b>43020791</b> |

# CUPBOARDS



## SCAN ME

See the 3D model  
in your own  
workshop

*"Everything in its  
place – just how  
I like it."*



Total load capacity



Drawer load capacity



Shelf load capacity



Full extension slide



Handle recess with  
3-point locking



Delivered completely  
assembled



Delivery time  
15 working days

## Cupboards Width 1050 / 1300 mm



### Housing and hinged doors

#### Housing

- Reinforced and welded for demanding requirements and a long service life
- Light grey powder-coated (RAL 7035)

#### Hinged doors

- Opening angle 180°, stable lock with 3-point locking
- Available with either plain, with viewing window or ventilation, depending on variant

### Extensive internal options

#### Depth 350mm

- Shelf, load capacity up to 75 kg, ideal for bottBoxes
- Rear panels with perforation or louvred form
- Multiplex shelf

#### Depth 550mm

- Shelf, load capacity up to 75 kg
- Rear panels with perforation or louvred form
- Multiplex shelf
- Internal drawers with full extension slide and 40 mm overextension, load capacity up to 75 kg

### Depth 350 mm



|                           |                   |                                             |
|---------------------------|-------------------|---------------------------------------------|
| Dimensions W x D x H [mm] | 1050 x 350 x 2000 | 1050 x 350 x 2000                           |
| Door type                 | Plain             | Plain                                       |
| Configuration             | 4x shelf          | 8x shelf<br>9x bottBox M3<br>27x bottBox L3 |
| Order ref.                | 16926219.**       | 16926505.**                                 |

#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey   RAL 5010 – gentian blue   RAL 7035 – light grey   RAL 3004 – crimson red

## Cupboards Width 1050 / 1300 mm

### Depth 550 mm



|                           |                    |                    |
|---------------------------|--------------------|--------------------|
| Dimensions W x D x H [mm] | 1050 x 550 x 1000  | 1050 x 550 x 2000  |
| Door type                 | Plain              | Plain              |
| Configuration             | 2x shelf           | 4x shelf           |
| Order ref.                | <b>16926259.**</b> | <b>16926267.**</b> |

### Depth 550 mm



|                           |                                            |                                                                     |                                                                     |
|---------------------------|--------------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------|
| Dimensions W x D x H [mm] | 1050 x 550 x 2000                          | 1050 x 550 x 2000                                                   | 1050 x 550 x 2000                                                   |
| Door type                 | Plain                                      | Plain                                                               | Plain                                                               |
| Configuration             | 4x shelf<br>2x internal drawer (H: 125 mm) | 3x shelf<br>4x internal drawer (H: 1x 100 mm, 2x 125 mm, 1x 175 mm) | 3x shelf<br>8x internal drawer (H: 2x 100 mm, 4x 125 mm, 2x 175 mm) |
| Order ref.                | <b>16926574.**</b>                         | <b>16926576.**</b>                                                  | <b>16926577.**</b>                                                  |

### Depth 550 mm



|                           |                                                                                                                                                     |                                                                                                                                                                            |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dimensions W x D x H [mm] | 1050 x 550 x 2000                                                                                                                                   | 1050 x 550 x 2000                                                                                                                                                          |
| Door type                 | Plain                                                                                                                                               | Plain                                                                                                                                                                      |
| Configuration             | 1x rear panel with perfo perforation<br>1x rear panel with perfo louvred form<br>1x multiplex shelf<br>6x internal drawer (H: 4x 125 mm; 2x 175 mm) | 1x rear panel with perfo perforation<br>1x rear panel with perfo louvred form<br>1x multiplex shelf<br>3x internal drawer (H: 1x 100 mm; 1x 125 mm; 1x 175 mm)<br>1x shelf |
| Order ref.                | <b>16926573.**</b>                                                                                                                                  | <b>16926572.**</b>                                                                                                                                                         |

## Cupboards Width 1050 / 1300 mm

### Depth 550 mm



|                           |                    |                    |
|---------------------------|--------------------|--------------------|
| Dimensions W x D x H [mm] | 1050 x 550 x 2000  | 1050 x 550 x 2000  |
| Door type                 | Window             | Ventilated         |
| Configuration             | 4x shelf           | 4x shelf           |
| <b>Order ref.</b>         | <b>16926277.**</b> | <b>16926770.**</b> |

### Depth 550 mm



|                           |                    |                    |
|---------------------------|--------------------|--------------------|
| Dimensions W x D x H [mm] | 1300 x 550 x 1000  | 1300 x 550 x 2000  |
| Door type                 | Plain              | Plain              |
| Configuration             | 2x shelf           | 4x shelf           |
| <b>Order ref.</b>         | <b>16926601.**</b> | <b>16926653.**</b> |

### Depth 550 mm



|                           |                    |                    |
|---------------------------|--------------------|--------------------|
| Dimensions W x D x H [mm] | 1300 x 550 x 2000  | 1300 x 550 x 2000  |
| Door type                 | Window             | Ventilated         |
| Configuration             | 4x shelf           | 4x shelf           |
| <b>Order ref.</b>         | <b>16926663.**</b> | <b>16926783.**</b> |

#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red

## Accessories for cupboards

### Shelf



- Shelf with support bracket left and right
- Load capacity: 75 kg
- Material: zinc-plated sheet steel

|                       |                    |                    |                    |                    |
|-----------------------|--------------------|--------------------|--------------------|--------------------|
| For system width [mm] | 525                | 800                | 1050               | 1050               |
| For system depth [mm] | 550                | 550                | 350                | 550                |
| <b>Order ref.</b>     | <b>16926912.51</b> | <b>16926915.51</b> | <b>16926916.51</b> | <b>16926918.51</b> |

### Shelf divider



- Adjustable shelf dividers for mounting onto shelves
- Pack quantity: 3 pieces
- Depth: 350 mm
- Material: zinc-plated sheet steel

|                           |                    |
|---------------------------|--------------------|
| Version                   |                    |
| Dimensions W x D x H [mm] | 50 x 309 x 116     |
| <b>Order ref.</b>         | <b>16926870.51</b> |

## Economy cupboards



### Drawers

- Drawer front with ergonomic handle
- Load capacity up to 10 kg



### Housing and hinged doors

#### Housing

- Welded steel housing for light applications
- Light grey powder-coated (RAL 7035)
- The 350 mm versions can also be installed on the wall

#### Hinged doors

- Opening angle 180°
- Large useful space with additional shelf (35 kg)
- Espagnolette lock

### Width 525 mm



|                           |                    |                       |
|---------------------------|--------------------|-----------------------|
| Dimensions W x D x H [mm] | 525 x 350 x 600    | 525 x 350 x 600       |
| Door type                 | Plain              | Plain                 |
| Configuration             | 1x shelf           | 2x shelf<br>1x drawer |
| Order ref.                | <b>16929001.**</b> | <b>16929003.**</b>    |

### Width 800 mm



|                           |                    |                       |
|---------------------------|--------------------|-----------------------|
| Dimensions W x D x H [mm] | 800 x 350 x 600    | 800 x 350 x 600       |
| Door type                 | Plain              | Plain                 |
| Configuration             | 1x shelf           | 2x shelf<br>1x drawer |
| Order ref.                | <b>16929101.**</b> | <b>16929103.**</b>    |


#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

.19 RAL 7016 – anthracite grey  
 .11 RAL 5010 – gentian blue  
 .16 RAL 7035 – light grey  
 .24 RAL 3004 – crimson red

## Lectern cupboards



### Housing and hinged doors

#### Housing

- Reinforced and welded for demanding requirements and a long service life
- Light grey powder-coated (RAL 7035)

#### Hinged doors

- Opening angle 180°
- Large useful space with additional shelf
- Stable lock with 3-point locking

### Panel and drawer

#### Panel

- For ergonomic working conditions
- With tray for pens
- Various rear panels are available as accessories

#### Drawer

- Drawer front with ergonomic handle
- Roller bearing slides with full extension slide and 40 mm overextension
- Load capacity up to 75 kg
- Comprehensive divider material available

### Width 525/1050 mm



|                           |                    |                    |
|---------------------------|--------------------|--------------------|
| Dimensions W x D x H [mm] | 525 x 550 x 1130   | 1050 x 550 x 1130  |
| Door type                 | Plain              | Plain              |
| Configuration             | 1x shelf, 1 drawer | 1x shelf, 1 drawer |
| <b>Order ref.</b>         | <b>16926370.**</b> | <b>16926590.**</b> |

# Lectern cupboards

## Lectern backpanel



|                           |                |             |                 |             |
|---------------------------|----------------|-------------|-----------------|-------------|
| Dimensions W x D x H [mm] | 525 x 75 x 870 |             | 1050 x 75 x 870 |             |
| Version                   | plain          | perfo       | plain           | perfo       |
| Order ref.                | 16926980.16    | 16926981.16 | 16926984.16     | 16926985.16 |



### Housing:

RAL 7035 – light grey

### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red

# SHELVES

*"Hurray – at last  
everything is  
stored clearly!"*



Total load capacity



Shelf load capacity




Flat-packed delivery  
Easy installation



Delivery time 15  
working days

## Complete shelving kits



### Complete variants

- Flexible and sturdy shelf system
- Sensibly equipped
- Easy to extend
- Incl. stabilising cross and wall fixing set

### Extension elements

- End frames, shelves and other accessories
- For extending existing shelf bays
- For configuring individual shelf systems

### Height 2000 mm



|                           |                    |                                                      |                                                                                       |
|---------------------------|--------------------|------------------------------------------------------|---------------------------------------------------------------------------------------|
| Dimensions W x D x H [mm] | 1150 x 420 x 2000  |                                                      |                                                                                       |
| Version                   | 4x shelf           | 8x shelf, 24x bottBox L4, (W 264 x D 398 x H 165 mm) | 5x shelf, 8x bottBox L4, (W 264 x D 398 x H 165 mm), 2x small parts angled shelf tray |
| Order ref.                | <b>46003001.16</b> | <b>46003002.16</b>                                   | <b>46003003.16</b>                                                                    |

## Shelves width 1150 mm


### Shelf



- Robust construction made of zinc-plated sheet steel
- Load capacity: 70 kg
- Incl. 4 support brackets for rapid and easy assembly

|                           |                    |                           |
|---------------------------|--------------------|---------------------------|
| Version                   | shelf              | 3 piece shelf divider kit |
| Dimensions W x D x H [mm] | 1150 x 420 x 27    | 50 x 300 x 200            |
| <b>Order ref.</b>         | <b>46003004.51</b> | <b>41022024.51</b>        |

### Angled shelf tray for small parts



- To store consumables such as screws and standard parts
- For a clever supply of materials, since shortages are obvious at once
- With 5 dividers for individual and flexible division
- Load capacity: 70 kg
- Material: zinc-plated sheet steel
- Includes 4 support brackets for rapid and easy assembly

|                           |                               |
|---------------------------|-------------------------------|
| Version                   | angled shelf with 5x dividers |
| Dimensions W x D x H [mm] | 1150 x 420 x 190              |
| <b>Order ref.</b>         | <b>46003005.51</b>            |

### Shelving endframes

|                           |                    |
|---------------------------|--------------------|
| Version                   | Shelving endframes |
| Dimensions W x D x H [mm] | 25 x 420 x 2000    |
| <b>Order ref.</b>         | <b>46003007.16</b> |

### Stabilising cross brace

|                   |                         |
|-------------------|-------------------------|
| Version           | Stabilising cross brace |
| <b>Order ref.</b> | <b>46003008.16</b>      |

### Wall fixing kit


|                   |                                                  |
|-------------------|--------------------------------------------------|
| Version           | For the secure wall mounting of shelf extensions |
| <b>Order ref.</b> | <b>46003009</b>                                  |

### Spare parts set

|                   |                                          |
|-------------------|------------------------------------------|
| Version           | 8x clip nuts, screw and support brackets |
| <b>Order ref.</b> | <b>90099653</b>                          |

## Shelves width 1150 mm

## Divider set



- For the shelf division for small parts  
Material: zinc-plated sheet steel

Order ref.

46003010.51

## 4 bottBox kit



- Suitable for 1 shelf  
Size L4 (W 264 x D 398 x H 165 mm)  
Material: Plastic RAL 7016

Order ref.

43021012.19

## Kits with 8 bottBoxes



- Suitable for 1 shelf  
Size M4 (W 130 x D 398 x H 165 mm)  
Material: Plastic RAL 7016

Order ref.

43021013.19

# FRAMEWORK BENCHES



## SCAN ME

See the 3D model in  
your own workshop

*"Ready  
for use in your  
workspace."*



Total load capacity



Drawer load capacity



Full extension slide



Central locking  
mechanism



Flat-packed delivery  
Easy installation



Delivery time 15  
working days

## Framework benches



### Framework bench

- Workbench leg height adjustable with 25 mm pitch
- Stringer set for additional stability
- Sturdy 30 mm worktops made of multiplex or linoleum
- Load capacity up to 600 kg

### Drawer cabinet

- Sturdy and welded housing for demanding requirements and a long service life
- With central locking mechanism
- Roller bearing slide with full extension slide and 40 mm overextension
- Drawers load capacity up to 75 kg
- Comprehensive divider material available

### Width 1500/2000 mm



|                                          |                    |                    |
|------------------------------------------|--------------------|--------------------|
| Dimensions W x D [mm]                    | 1500 x 800         | 2000 x 800         |
| Height [mm]                              | 780-930            | 780-930            |
| Stringers bottom                         | Yes                | Yes                |
| Load capacity housing and workbenches kg | 600                | 600                |
| Worktop                                  | Beech Multiplex    | Beech Multiplex    |
| <b>Order ref.</b>                        | <b>16921512.16</b> | <b>16921514.16</b> |

### Suspended cabinets



|                           |                    |                    |
|---------------------------|--------------------|--------------------|
| Depth [mm]                | 550                | 550                |
| Version                   |                    |                    |
| Quantity of drawers/doors | 1                  | 3                  |
| Front height [mm]         |                    | 3x125              |
| <b>Order ref.</b>         | <b>16926030.**</b> | <b>16925001.**</b> |

#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red


## Pedestal benches

### Width 1500 mm



|                                          |                    |                    |                     |
|------------------------------------------|--------------------|--------------------|---------------------|
| Dimensions W x D [mm]                    | 1500 x 600         | 1500 x 600         | 1500 x 600          |
| Height mm                                | 930                | 930                | 930                 |
| Front height [mm]                        | 1x125, 1x175       | 1x125, 4x175       | 4x100, 2x125, 1x175 |
| Load capacity housing and workbenches kg | 500                | 500                | 500                 |
| worktop                                  | Beech Multiplex    | Beech Multiplex    | Beech Multiplex     |
| <b>Order ref.</b>                        | <b>16921902.**</b> | <b>16921900.**</b> | <b>16921901.**</b>  |

### Width 2000 mm



|                                          |                    |                    |                     |
|------------------------------------------|--------------------|--------------------|---------------------|
| Dimensions W x D [mm]                    | 2000 x 600         | 2000 x 600         | 2000 x 600          |
| Height mm                                | 930                | 930                | 930                 |
| Front height [mm]                        | 1x125, 1x175       | 1x125, 4x175       | 4x100, 2x125, 1x175 |
| Load capacity housing and workbenches kg | 500                | 500                | 500                 |
| worktop                                  | Beech Multiplex    | Beech Multiplex    | Beech Multiplex     |
| <b>Order ref.</b>                        | <b>16921952.**</b> | <b>16921950.**</b> | <b>16921951.**</b>  |

### Width 2000 mm



|                                          |                     |                    |
|------------------------------------------|---------------------|--------------------|
| Dimensions W x D [mm]                    | 1500 x 600          | 1500 x 600         |
| Height mm                                | 930                 | 930                |
| Front height [mm]                        | 4x100, 2x125, 1x175 | 1x125, 1x175       |
| Load capacity housing and workbenches kg | 500                 | 500                |
| worktop                                  | Beech Multiplex     | Beech Multiplex    |
| <b>Order ref.</b>                        | <b>16921904.**</b>  | <b>16921905.**</b> |

Width 2000 mm



|                                          |                     |                    |
|------------------------------------------|---------------------|--------------------|
| Dimensions W x D [mm]                    | 2000 x 600          | 2000 x 600         |
| Height mm                                | 930                 | 930                |
| Front height [mm]                        | 4x100, 2x125, 1x175 | 1x125, 1x175       |
| Load capacity housing and workbenches kg | 500                 | 500                |
| worktop                                  | Beech Multiplex     | Beech Multiplex    |
| Order ref.                               | <b>16921954.**</b>  | <b>16921955.**</b> |



Housing:

RAL 7035 – light grey

Top, bottom and fronts:

.19
.11
.16
.24

RAL 7016 – anthracite grey RAL 5010 – gentian blue

RAL 7035 – light grey

RAL 3004 – crimson red

# STORAGE BENCHES



SCAN ME

See the 3D model in  
your own workshop

Sturdy & High  
Quality.



Total load capacity



Drawer load capacity



Full extension slide



Central locking  
mechanism



Delivered completely  
assembled



Delivery time  
15 working days

## Storage benches



### Housing, worktop and hinged door

- Sturdy and welded housing for demanding requirements and a long service life
- Robust 30 mm beech multiplex worktop
- Load capacity up to 800 kg
- Doors with 180° opening angle and stable lock
- Large useful space with additional shelf



### Drawers

- Drawer front with ergonomic handle
- Roller bearing slides with full extension slide and 40 mm overextension
- Load capacity up to 75 kg
- Load capacity per drawer block: 150 kg
- Comprehensive divider material available

### Width 1500 mm



|                                          |                    |                    |                    |
|------------------------------------------|--------------------|--------------------|--------------------|
| Dimensions W x D [mm]                    | 1500 x 600         | 1500 x 600         | 1500 x 600         |
| Height [mm]                              | 830-930            | 830-930            | 830-930            |
| Front height [mm]                        | 1x125, 2x175       | 2x125, 4x175       | 1x125, 2x175       |
| Load capacity housing and workbenches kg | 800                | 800                | 800                |
| worktop                                  | Beech Multiplex    | Beech Multiplex    | Beech Multiplex    |
| Order ref.                               | <b>16923014.**</b> | <b>16923015.**</b> | <b>16923012.**</b> |

### Width 2000 mm



|                                          |                    |                    |
|------------------------------------------|--------------------|--------------------|
| Dimensions W x D [mm]                    | 2000 x 600         | 2000 x 600         |
| Height [mm]                              | 830-930            | 830-930            |
| Front height [mm]                        | 1x125, 2x175       | 3x125, 6x175       |
| Load capacity housing and workbenches kg | 800                | 800                |
| worktop                                  | Beech Multiplex    | Beech Multiplex    |
| Order ref.                               | <b>16923032.**</b> | <b>16923033.**</b> |

#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

.19 RAL 7016 – anthracite grey  
 .11 RAL 5010 – gentian blue  
 .16 RAL 7035 – light grey  
 .24 RAL 3004 – crimson red

## Accessories for workbenches

### Rear panel kit



- For mounting directly on a worktop
- High stability thanks to vertical struts
- Colour: light grey (RAL 7035)

|                           |                    |                    |                    |                    |
|---------------------------|--------------------|--------------------|--------------------|--------------------|
| Dimensions W x D x H [mm] | 1500 x 230 x 480   | 1500 x 230 x 960   | 2000 x 230 x 480   | 2000 x 230 x 960   |
| Number of panels          | 1                  | 2                  | 1                  | 2                  |
| <b>Order ref.</b>         | <b>41022006.16</b> | <b>41022007.16</b> | <b>41022008.16</b> | <b>41022009.16</b> |

### Rear framework



- For mounting directly on a worktop
- Shelves kitted with bottBox M3 (130 x 298 x 165 mm)
- Optional perfo perforated or louvred panels
- Colour: light grey (RAL 7035)

|                           |                                                 |                                                 |                                              |
|---------------------------|-------------------------------------------------|-------------------------------------------------|----------------------------------------------|
| Version                   | perfo perforated panel, shelf with 10 bottBoxes | perfo perforated panel, shelf with 13 bottBoxes | perfo louvred panel, shelf with 13 bottBoxes |
| Dimensions W x D x H [mm] | 1350 x 435 x 1357                               | 1800 x 435 x 1357                               |                                              |
| <b>Order ref.</b>         | <b>41022002.16</b>                              | <b>41022004.16</b>                              | <b>41022005.16</b>                           |

### Roller stools



- 5-leg base with swivel castors, 2 of which can be fixed
- Seat height adjustment with gas pressure spring
- Durable, easy-to-clean moulded foam seat with Ø 350 mm
- Tool tray with 6 removable small parts storage boxes

|                           |                 |                           |
|---------------------------|-----------------|---------------------------|
| Version                   | Standard        | With additional tool tray |
| Dimensions W x D x H [mm] | 350 x 350 x 500 | 350 x 350 x 800           |
| <b>Order ref.</b>         | <b>88601054</b> | <b>88601002</b>           |

### Workshop planners



- Guarantees order and clarity in the workshop and at the workplace
- Helps with the planning and organisation of capacities and processes
- For the clear placement of order folders, forms, brochures and other documents
- Document holder DIN A4 landscape format made of high-quality and sturdy plastic (RAL 7016), incl. label clip
- Set comprising base plate and 3x document holder DIN A4 landscape format and fixing kit
- The base plates can be screwed above one another, enabling several sets to be combined into one large planner if required

|                           |                    |
|---------------------------|--------------------|
| Version                   | A4                 |
| Dimensions W x D x H [mm] | 340 x 120 x 516    |
| <b>Order ref.</b>         | <b>41022028.19</b> |

# PERFO PANELS, RACKS & TROLLEYS



SCAN ME

See the 3D model in  
your own workshop


*"Quickly  
and efficiently  
transport materials  
throughout your  
workspace."*




Delivery time 15  
working days

## perfo panels & hook kits

### perfo Panels



- High rigidity due to side folds
- Additional reinforced profiles on the rear
- Perforation: 9.2 x 9.2 mm, hole spacing: 38.1 mm
- Interlocking connection for perfo hooks and holders on the perfo perforated panel
- The pitch is retained past the panel joint when several panels are combined



|                           |                    |                    |                    |                    |
|---------------------------|--------------------|--------------------|--------------------|--------------------|
| Dimensions W x D x H [mm] | 495 x 13 x 457     | 991 x 13 x 457     | 1486 x 13 x 457    | 1981 x 13 x 457    |
| Version                   | perfo              | perfo              | perfo              | perfo              |
| Order ref.                | <b>41022014.**</b> | <b>41022015.**</b> | <b>41022016.**</b> | <b>41022017.**</b> |

### perfo Hook assortments



- 5 Hooks D 75 mm
- 5 Double hooks D 75 mm

|            |                 |
|------------|-----------------|
| Order ref. | <b>43021010</b> |
|------------|-----------------|

#### Housing:

RAL 7035 – light grey

#### Top, bottom and fronts:

**.19**

RAL 7016 – anthracite grey RAL 5010 – gentian blue

**.11**

**.16**

RAL 7035 – light grey

**.24**

RAL 3004 – crimson red

# perfo panels & hook kits


## perfo Hook assortments



- 5 Extended hooks D 25 mm
- 5 Extended hooks D 50 mm
- 5 Extended hooks D 75 mm
- 5 Double hooks D 50 mm
- 5 Spring clips Ø 19 mm

|            |          |
|------------|----------|
| Order ref. | 43021011 |
|------------|----------|

## Louvred panels




- perfo louvred panel kit consisting of: 2 panels and 24 bottBoxes M2 (130 x 198 x 90 mm)

|                           |                 |
|---------------------------|-----------------|
| Version                   | with bottBoxes  |
| Dimensions W x D x H [mm] | 914 x 213 x 495 |
| Order ref.                | 43021009.16     |

# Louvre panels, racks & trolleys

## Louvred racks



- Kit 112-piece
- 112 bottBox M2 (130 x 198 x 90 mm)

|                           |                    |                    |
|---------------------------|--------------------|--------------------|
| Version                   | with bottBoxes     | empty              |
| Dimensions W x D x H [mm] | 1000 x 550 x 1125  |                    |
| <b>Order ref.</b>         | <b>41022011.16</b> | <b>41022010.16</b> |

## Louvre trolleys



- Kit 84-piece
- 42 bottBox M2 (130 x 198 x 90 mm)
- 42 bottBox M3 (130 x 298 x 165 mm)
- 4 swivel & brake castors

|                           |                    |                    |
|---------------------------|--------------------|--------------------|
| Version                   | with bottBoxes     | empty              |
| Dimensions W x D x H [mm] | 1000 x 550 x 1250  |                    |
| <b>Order ref.</b>         | <b>41022013.16</b> | <b>41022012.16</b> |

# Welded benches

## Welded benches



- Sturdy welded steel frame
- Light grey powder-coated (RAL 7035)
- Plenty of usable space thanks to 2 storage levels
- 2 swivel castors with brakes and 2 fixed castors (castor diameter = 125 mm)



| Version                                  | Mobile           | Stationary       | Mobile           | Stationary       |
|------------------------------------------|------------------|------------------|------------------|------------------|
| Worktop/housing top type                 | Steel            | Steel            | Beech Multiplex  | Beech Multiplex  |
| Load capacity housing and workbenches kg | 300              | 400              | 300              | 500              |
| Dimensions W x D x H [mm]                | 1000 x 600 x 910 | 1000 x 600 x 910 | 1000 x 600 x 930 | 1000 x 600 x 930 |
| Order ref.                               | 16922700.16      | 16922502.16      | 16922701.16      | 16922503.16      |



## Euroboxes



- Containers fit standard europallet sizes
- For all storage, production and transport needs
- Straight walls offer maximum volume with excellent strength
- Optional lids available
- Resistant to numerous acids and alkalis
- Temperature resistance -20 °C to +60 °C, for a short time also up to +90 °C
- Material: Polypropylene
- Colour: anthracite grey



|                   |                     |                     |                     |                 |
|-------------------|---------------------|---------------------|---------------------|-----------------|
| Width [mm]        | 600                 | 600                 | 600                 | 600             |
| Depth [mm]        | 400                 | 400                 | 400                 | 400             |
| Height [mm]       | 120                 | 220                 | 320                 | 27              |
| Weight [kg]       | 1.17                | 1.67                | 2.52                | 2.28            |
| Pack of           | 1                   | 1                   | 1                   | 3               |
| <b>Order ref.</b> | <b>62510016.19V</b> | <b>62510017.19V</b> | <b>62510018.19V</b> | <b>12204065</b> |

## Trolley for Euroboxes



- Suitable for all euroboxes and containers with floor area 400 x 600 mm
- Load capacity up to 250 kg
- Easy to clean thanks to frame made of ABS plastic with open corners
- 4 swivel castors with mark-free rubber wheels (Ø 100 mm), 2 of which have brakes
- Colour: grey

|                           |                 |
|---------------------------|-----------------|
| Dimensions W x D x H [mm] | 420 x 620 x 165 |
| <b>Order ref.</b>         | <b>41010148</b> |



---

You can find further information on bott products on the website:  
**[www.bott.de](http://www.bott.de)**

---

If you have any questions about bott products or would like to place an order by telephone, the bott dialog-aktiv telesales team will be happy to assist:  
**+49(0)7971 / 251 – 891.**



Or you can send your query by email to: **[info@bott.de](mailto:info@bott.de)**

---

Subject to changes in price and technical modifications.

If you have already agreed to your data being used for promotional purposes and should then change your mind, please send your subsequent revocation by e-mail to [datenschutz@bott.de](mailto:datenschutz@bott.de).

**[www.bott.de](http://www.bott.de)**  
Bott GmbH & Co. KG, Bahnstraße 17, 74405 Gaildorf, Germany  
Phone: +49 (0)79 71 / 251-891, Fax: +49 (0)79 71 / 251-205